



Strojírenský zkušební ústav, s.p., Brno, Česká republika
Oznámený subjekt identifikační číslo 1015
Engineering Test Institute, Public Enterprise, Brno, Czech Republic
Notified Body Identification Number 1015

CERTIFIKÁT EU PŘEZKOUŠENÍ TYPU **EU TYPE-EXAMINATION CERTIFICATE**

podle nařízení Evropského parlamentu a Rady (EU) 2016/426 ze dne 9. března 2016 o spotřebičích
plynných paliv

*pursuant to Regulation (EU) 2016/426 of the European Parliament and of the Council
of 9 March 2016 on appliances burning gaseous fuels*

Číslo:
Number: **E-30-00496-18**

Výrobce:
Manufacturer: Gassero Isı Teknolojileri Sanayi Limited Şirketi
İstanbul Endüstri ve Ticaret Serbest Bölgesi (FREE ZONE)
4. Sokak, Parsel No. 110, 34957 Tuzla, İstanbul
Turecko – Turkey

Identifikační číslo výrobků:
Product-ID-Number: **CE-1015CT0640**

Výrobek:
Product: Kondenzační teplovodní kotel na zemní plyn (G20)
Condensing hot-water boiler burning natural gas (G20)

Typové označení:
Type designation: Gassero, Blaudens, Meksis, Cropina, Scirocco, Strada,
Scopula, Exinox, Firefox, Baccara, Expanse, Schahane,
Rinnai, MHG Gassero

Obchodní označení:
Trade mark: je uvedeno na 3. straně
see Page 3

Identifikace schváleného typu:
Identification of approved type: je uvedena na 2. straně
see Page 2

Hodnotící zpráva:
Evaluation Report: Závěrečný protokol č. 30-13500 ze dne 2018-05-31
Final Report 30-13500 of 2018-05-31

Strojírenský zkušební ústav, s.p., oznámený subjekt identifikační číslo 1015 potvrzuje, že předmětný výrobek splňuje požadavky podle bodu 1.4 Přílohy III nařízení Evropského parlamentu a Rady (EU) 2016/426 (modul B: EU přezkoušení typu). Výsledky činností provedených oznámeným subjektem jsou obsaženy v citovaném závěrečném protokolu (tj. hodnotící zprávě). Údaje nezbytné k identifikaci schváleného typu jsou uvedeny na 2. straně tohoto certifikátu. Pravidla pro nakládání s certifikátem a podmínky jeho platnosti jsou uvedeny na 5. straně.


Tento certifikát je platný nejpozději do **2028-05-30**.

The Engineering Test Institute, Public Enterprise, Notified Body Identification Number 1015 hereby attests that the product concerned meets the requirements referred to in point 1.4 of Annex III of Regulation (EU) 2016/426 of the European Parliament and of the Council (Module B: EU type-examination). The results of the activities carried out by the Notified Body are contained in the cited Final Report (i.e. evaluation report). The data necessary for identification of the approved type are stated on Page 2 of this Certificate. The rules for using the Certificate and conditions of its validity are defined on Page 5.

This Certificate is valid until 2028-05-30.

Brno, 2018-05-31




Ing. Aleš Onderek
zástupce ředitele
Deputy Director

E-30-00496-18, Strana – Page 1/5

Strojírenský zkušební ústav, s.p., Hudcova 424/56b, 621 00 Brno, Česká republika
Engineering Test Institute, public enterprise, Hudcova 424/56b, 621 00 Brno, Czech Republic

www.szutest.cz



Specification of the boilers:

Brand	Gassero	Blaudens	Meksis	Cropina	Scirocco	Strada
Model	Wallcon X-treme 42	Innodens X-treme 42	MKDT X-treme 42	Cropina Wall X-treme 42	Scirocco Wall X-treme 42	Strada Wall X-treme 42
Model	Wallcon X-treme 50	Innodens X-treme 50	MKDT X-treme 50	Cropina Wall X-treme 50	Scirocco Wall X-treme 50	Strada Wall X-treme 50
Model	Wallcon X-treme 67	Innodens X-treme 67	MKDT X-treme 67	Cropina Wall X-treme 67	Scirocco Wall X-treme 67	Strada Wall X-treme 67
Model	Wallcon X-treme 115	Innodens X-treme 115	MKDT X-treme 115	Cropina Wall X-treme 115	Scirocco Wall X-treme 115	Strada Wall X-treme 115
Model	Wallcon X-treme 125	Innodens X-treme 125	MKDT X-treme 125	Cropina Wall X-treme 125	Scirocco Wall X-treme 125	Strada Wall X-treme 125
Model	Wallcon X-treme 150	Innodens X-treme 150	MKDT X-treme 150	Cropina Wall X-treme 150	Scirocco Wall X-treme 150	Strada Wall X-treme 150
Model	Wallcon 42	Innodens 42	MKDT 42	Cropina Wall 42	Scirocco Wall 42	Strada Wall 42
Model	Wallcon 50	Innodens 50	MKDT 50	Cropina Wall 50	Scirocco Wall 50	Strada Wall 50
Model	Wallcon 67	Innodens 67	MKDT 67	Cropina Wall 67	Scirocco Wall 67	Strada Wall 67
Model	Wallcon 115	Innodens 115	MKDT 115	Cropina Wall 115	Scirocco Wall 115	Strada Wall 115
Model	Wallcon 125	Innodens 125	MKDT 125	Cropina Wall 125	Scirocco Wall 125	Strada Wall 125
Model	Wallcon 150	Innodens 150	MKDT 150	Cropina Wall 150	Scirocco Wall 150	Strada Wall 150

Brand	Scopula	Exinox	Firefox	Baccara	Expanse	Schahane
Model	Scopula Wall X-treme 42	Exinox Wall X-treme 42	Firefox Wall X-treme 42	Baccara Wall X-treme 42	Expanse Wall X-treme 42	Schahane Wall X-treme 42
Model	Scopula Wall X-treme 50	Exinox Wall X-treme 50	Firefox Wall X-treme 50	Baccara Wall X-treme 50	Expanse Wall X-treme 50	Schahane Wall X-treme 50
Model	Scopula Wall X-treme 67	Exinox Wall X-treme 67	Firefox Wall X-treme 67	Baccara Wall X-treme 67	Expanse Wall X-treme 67	Schahane Wall X-treme 67
Model	Scopula Wall X-treme 115	Exinox Wall X-treme 115	Firefox Wall X-treme 115	Baccara Wall X-treme 115	Expanse Wall X-treme 115	Schahane Wall X-treme 115
Model	Scopula Wall X-treme 125	Exinox Wall X-treme 125	Firefox Wall X-treme 125	Baccara Wall X-treme 125	Expanse Wall X-treme 125	Schahane Wall X-treme 125
Model	Scopula Wall X-treme 150	Exinox Wall X-treme 150	Firefox Wall X-treme 150	Baccara Wall X-treme 150	Expanse Wall X-treme 150	Schahane Wall X-treme 150
Model	Scopula Wall 42	Exinox Wall 42	Firefox Wall 42	Baccara Wall 42	Expanse Wall 42	Schahane Wall 42
Model	Scopula Wall 50	Exinox Wall 50	Firefox Wall 50	Baccara Wall 50	Expanse Wall 50	Schahane Wall 50
Model	Scopula Wall 67	Exinox Wall 67	Firefox Wall 67	Baccara Wall 67	Expanse Wall 67	Schahane Wall 67
Model	Scopula Wall 115	Exinox Wall 115	Firefox Wall 115	Baccara Wall 115	Expanse Wall 115	Schahane Wall 115
Model	Scopula Wall 125	Exinox Wall 125	Firefox Wall 125	Baccara Wall 125	Expanse Wall 125	Schahane Wall 125
Model	Scopula Wall 150	Exinox Wall 150	Firefox Wall 150	Baccara Wall 150	Expanse Wall 150	Schahane Wall 150

Brand	Rinnai	MHG Gassero
Model	AIM X-treme 42 M	Wallcon X-treme 42
Model	AIM X-treme 50 M	Wallcon X-treme 50
Model	AIM X-treme 67 M	Wallcon X-treme 67
Model	AIM X-treme 115 M	Wallcon X-treme 115
Model	AIM X-treme 125 M	Wallcon X-treme 125
Model	AIM X-treme 150 M	Wallcon X-treme 150
Model	AIM 42 M	Wallcon 42
Model	AIM 50 M	Wallcon 50
Model	AIM 67 M	Wallcon 67
Model	AIM 115 M	Wallcon 115
Model	AIM 125 M	Wallcon 125
Model	AIM 150 M	Wallcon 150





Technical data of the boilers:

Model	Heat input [kW]	Heat output [kW]		Maximum water temperature for central heating [°C]	Dimensions [mm]
		at 80/60 °C	at 50/30 °C		
Wallcon 42	7,2 ÷ 39,4	7,0 ÷ 38,3	7,6 ÷ 41,3	80	446 x 390 x 654
Wallcon X-treme 42	7,2 ÷ 39,4	7,0 ÷ 38,3	7,6 ÷ 41,3	80	485 x 490 x 612
Wallcon 50	8,4 ÷ 48,0	8,1 ÷ 46,3	8,9 ÷ 50,1	80	446 x 390 x 654
Wallcon X-treme 50	8,4 ÷ 48,0	8,1 ÷ 46,3	8,9 ÷ 50,1	80	485 x 490 x 612
Wallcon 67	11,2 - 63,0	11,0 - 61,0	12,0 - 67,0	80	446 x 480 x 654
Wallcon X-treme 67	11,2 - 63,0	11,0 - 61,0	12,0 - 67,0	80	485 x 490 x 612
Wallcon 115	27,0 ÷ 108,5	26,1 ÷ 105,4	29,3 ÷ 115,5	80	558 x 580 x 865
Wallcon X-treme 115	27,0 ÷ 108,5	26,1 ÷ 105,4	29,3 ÷ 115,5	80	558 x 580 x 865
Wallcon 125kW	17,0 ÷ 121,0	16,6 ÷ 116,2	18,4 ÷ 126,0	80	558 x 580 x 865
Wallcon X-treme 125	17,0 ÷ 121,0	16,6 ÷ 116,2	18,4 ÷ 126,0	80	558 x 580 x 865
Wallcon 150	21,0 - 143,0	19,5 - 138,0	22,7 - 150,0	80	558 x 690 x 865
Wallcon X-treme 150	21,0 - 143,0	19,5 - 138,0	22,7 - 150,0	80	558 x 580 x 865

Supply conditions:

Type	Product category	Supply pressures [mbar]	Gas used	Country of destination
B ₂₃ , C ₁₃ , C ₃₃ , C ₄₃ , C ₅₃ , C ₆₃ , C ₈₃	I _{2H}	20	G20	AT, CH, CZ, DK, EE, ES, FI, GB, GR, IE, IT, LT, LV, NO, PT, RO, SE, SI, SK, TR
	I _{2E}	20	G20	DE, LU, PL, RO
	I _{2H}	25	G20	HU

